

IN THE CLAIMS:

1. (Currently Amended) An endoluminal access system for accessing a body lumen, comprising:
 - a guide track which, when in an operative position, extends through a body lumen to a desired location therewithin;
 - a modular device selectively coupleable to the guide track, the modular device including a drive mechanism for engaging the guide track to move the modular device along the guide track within the body lumen; and
 - an anchoring module selectively coupleable to the guide track for anchoring the guide track at the desired location, the anchoring module including an anchoring module drive mechanism for engaging the guide track to move the anchoring module along the guide track to the desired location, wherein the anchoring module drive mechanism is located inside the anchoring module.
2. (Original) The system of claim 1, wherein the guide track includes one of a catheter and a guide wire.
3. (Original) The system of claim 1, wherein the guide track includes a substantially helical contact surface formed on an outer surface thereof and wherein the drive mechanism engages the contact surface to move the modular device along the guide track.
4. (Original) The system of claim 1, wherein the drive mechanism includes a motor located within the modular device.
5. (Original) The system of claim 4, wherein the motor is an electric motor and wherein the drive mechanism includes a cable extending out of the modular device to an external power source.
6. (Previously Presented) An endoluminal access system for accessing a body lumen, comprising:

a guide track which, when in an operative position, extends through a body lumen to a desired location therewithin; and

a modular device selectively coupleable to the guide track, the modular device including a drive mechanism for engaging the guide track to move the modular device along the guide track within the body lumen, wherein the drive mechanism includes a threaded member for engaging a contact surface of the guide track and rotating about the guide track, and wherein the threaded member includes a threaded hole.

7. (Original) The system of claim 1, wherein the modular device includes a guide track receiving lumen extending therethrough for receiving the guide track therein.
8. (Original) The system of claim 1, wherein the drive mechanism includes gears moveable between an engaging position for engaging the guide track to move the modular device therealong and a retracted position separated from the guide track.
9. (Canceled)
10. (Previously Presented) The system of claim 1, wherein the anchoring module includes a first extendible member moveable between a retracted position in which the anchoring module is free to move within the body lumen and an extended position in which the first extendible member contacts a wall of the body lumen to anchor the guide track in a desired position therewithin.
11. (Original) The system of claim 10, wherein the first extendible member includes a first balloon, the system further comprising a first inflation lumen extending between an inlet which remains outside the patient's body to an outlet coupled to the first balloon.
12. (Previously Presented) The system of claim 10, further comprising a second extendible member coupled to the modular device, the second extendible member being moveable between a retracted position in which the modular device is free to move within the body lumen and an extended position in which the second extendible member contacts a wall of the body lumen to anchor the modular device at a desired position therewithin.

13. (Original) The system of claim 12, wherein the second extendible member includes a second balloon, the system further comprising a second inflation lumen extending between an inlet which remains outside the patient's body to an outlet coupled to the second balloon.
14. (Cancelled).
15. (Cancelled).
16. (Cancelled).
17. (Cancelled).
18. (Cancelled).
19. (Cancelled).
20. (Cancelled).
21. (Cancelled).
22. (Previously Presented) A method of resecting tissue from a site within a body comprising the steps of:
 - inserting a guide track to a desired location within the body lumen;
 - selectively coupling an anchoring module to the guide track;
 - actuating a motor of the anchoring module in order to advance the anchoring module along the guide track to a desired location within the bodily lumen;
 - anchoring the guide track at the desired location within the body lumen via the anchoring module;
 - coupling a modular device to a proximal end of the guide track;
 - actuating a motor mounted within the modular device to drive the modular device distally along the guide track to the site;
 - drawing tissue at the site into the modular device;
 - coupling together a portion of tissue adjacent to the site;

resecting the tissue from the site; and

actuating the motor to drive the modular device proximally to withdraw the modular device from the body lumen.

23. (Canceled).

24. (Currently Amended) The method of claim 22, wherein the step of anchoring the guide track further comprises the ~~sub-steps~~ step of:

extending an anchoring member of the anchoring module to anchor the anchoring module at the anchoring location thereby anchoring the guide track at the desired location.

25. (Original) The method of claim 22, further comprising the step of extending a positioning member from the modular device to maintain the modular device in a desired position within the body lumen.